AMENDMENT TO THE CLAIMS:

The following claim set replaces all prior versions, and listings, of claims in the application:

- (Currently Amended) Process for manufacturing a laminate <u>comprising extrusion</u> <u>coating</u> , which at least comprises the application of a layer of polyamide <u>on</u>to a <u>solid</u> substrate, <u>wherein the</u> <u>which as</u> polyamide <u>consists</u> mainly <u>of a</u> branched polyamide <u>is used</u> that is at least composed of units derived from:
 - AB monomers, which are understood to mean a monomer that has both a carboxylic acid group (A) and an amine group (B).
 - at least one compound I, being a carboxylic acid (A_v) with functionality v≥2 or an amine (B_w) with functionality w≥2,
 - c. at least one compound II, being a carboxylic acid (A_v) with functionality v≥3 or an amine (B_w) with functionality w≥3, with compound II being a carboxylic acid if compound I is an amine or with compound II being an amine if compound I is a carboxylic acid, wherein the quantities of units, derived from all the carboxylic acids and amines in the polyamide, satisfy formula 1

$$P < 1 / [(F_A-1)\cdot(F_B-1)]$$
 (1)

in which

$$P = \left[\sum (n_i \cdot f_i)\right] x / \left[\sum (n_i \cdot f_i)\right] y \tag{2}$$

In which P≤1 and either X=A and Y=B, or X-B and Y=A and

$$F = \sum (n_i \cdot f_i^2) / \sum (n_i \cdot f_i)$$
 (3)

for respectively all carboxylic acids (F_A) and amines (F_B) wherein f_i is the functionality of a carboxylic acid (v_i) or amine (w_i) , $[[r_i]]$ r_i is the number of

DE KROON ET AL Serial No. 10/520,704 February 18, 2009

moles of a carboxylic acid or amine and the summation is carried out over all units derived from carboxylic acids and amines in the polyamide.

(Canceled)

- (Previously Presented) Process according to claim 1, in which the substrate is a metal or is paper or paperboard, optionally coated with a layer of a metal foil.
- (Currently Amended) Laminate comprising a <u>solid</u> substrate and an <u>extrusion</u> <u>coated</u> layer <u>on the substrate which consists</u> <u>consisting</u> mainly of a branched polyamide that is at least composed of units derived from:
 - AB monomers, which are understood to mean a monomer that has both a carboxylic acid group (A) and an amine group (B),
 - at least one compound I, being a carboxylic acid (A_v) with functionality v≥2 or an amine (B_w) with functionality w≥2.
 - c. at least one compound II, being a carboxylic acid (A_v) with functionality v≥3 or an amine (B_w) with functionality w≥3, with compound II being a carboxylic acid if compound I is an amine or with compound II being an amine if compound I is a carboxylic acid, wherein the quantities of units, derived from all the carboxylic acids and amines in the polyamide, satisfy formula 1

$$P < 1/[(F_{\Delta}-1)\cdot(F_{B}-1)]$$
 (1)

in which

$$P = \left[\sum (n_i \cdot f_i)\right] x / \left[\sum (n_i \cdot f_i)\right] y \tag{2}$$

In which P≤1 and either X=A and Y=B, or X-B and Y=A and

$$F = \sum (n_i \cdot f_i^2) / \sum (n_i \cdot f_i)$$
 (3)

DE KROON ET AL Serial No. 10/520,704 February 18, 2009

for respectively all carboxylic acids (F_A) and amines (F_B) wherein f_i is the functionality of a carboxylic acid (v_i) or amine (w_i) , $[[\eta_i]]$ η_i is the number of moles of a carboxylic acid or amine and the summation is carried out over all units derived from carboxylic acids and amines in the polyamide.

- (Canceled)
- 6. (Original) Packaging for foodstuffs, comprising the laminate according to claim 4.
- (Currently Amended) <u>Packaging Precess</u> according to claim [[2]] <u>6</u>, in which the substrate is a metal or is paper or paperboard, optionally coated with a layer of metal foil.
- (Previously Presented) Process for packaging foodstuffs with comprises providing a laminate according to claim 4, and packaging said foodstuffs therein.
- (Previously Presented) A packaged foodstuff comprising a wrapper comprising the laminate according to claim 4, and a foodstuff packaged within said wrapper.